


Products catalogue

# INOX VISION



---

Stainless steel flat  
products



ACCIAI  
SPECIALI  
TERNI

---

## 1. ACCIAI SPECIALI TERNI

Global Player  
Customer Oriented  
Innovative  
Reliable  
Passionate

---

## 2. PRODUCTS PORTFOLIO

Cold Rolled  
Vivinox®  
Hot Rolled

---

## 3. TAILOR MADE SERVICES

Quality Management System  
Technical Customer Support  
Supply Chain  
Packaging

---

## 4. MANUFACTURING EFFICIENCY

Integrated Manufacturing Cycle

Products catalogue

# INOX VISION

---

Stainless steel flat  
products



ACCIAI  
SPECIALI  
TERNI

# ACCIAI SPECIALI TERNI

No market is too far away for our knowledge,  
passion and spirit of innovation

Innovation, expertise, reliability and global vision are our business card that better describes our presence in the world market.

If you look for outstanding knowledge, innovation and quality, Acciai Speciali Terni is the solution. We are where you are, with a wide range of products and finishes and with a unique and innovative sales organization, offering every single customer our whole company's passion, know-how and expertise built on more than 130 years of history.

---

**Abt. 1,000,000  
tonnes**

distributed worldwide

---

More than

**130 years** of

history and expertise

---

Manufacturing  
plant

**in Italy,**

sales headquarter

**in Germany**

---



ACCIAI  
SPECIALI  
TERNI

# GLOBAL PLAYER



---

A network with over **500 sites** belonging to the Group in **44 countries**

---

**Global Key Accounts** per segment

---

**Regional Sales Approach**

---

---

## ALL OVER THE WORLD

The strength of a unique sales network throughout the world ensures timely and customized responses for each market sector and application: transportation, household applications, industrial goods, architectural applications, tubes, pumps and other innovative applications.

Wherever you are, you can count on the expertise and innovativeness of our technical and sales team.



# CUSTOMER ORIENTED

---

A **wide and flexible**  
product range

---

**Austenitic, ferritic  
and martensitic**

---

Stainless steel in **coils, sheets  
and strips**

---

Standard and innovative **finishes**

---

# SHAPED ON YOUR NEEDS

Our product range is constantly improved and enriched: today our plant produces austenitic, ferritic and martensitic hot rolled and cold rolled stainless steel flat products with tailor made finishes, shapes and sizes.

Customized products, innovative solutions and service quality are behind the secret making our stainless steel be the material of excellence for many market sectors.

The depth of product range with the support and technical service of an integrated worldwide team of specialists offers tailor made solutions and maximum customer reliability.

---

**New products and finishes**  
for specific market segments


---

**Research** in emerging  
and innovative applications

---

A state of the art **IT infrastructure**  
and tailor made **technical solutions**

---



**INNOVATIVE  
FOR  
CUSTOMERS**

# INNOVATION, THE KEY FOR OUR FUTURE GROWTH

The cooperation with Centro Sviluppo Materiali (CSM), one of the major Italian research centers in materials, ensures excellent worldwide standards of quality. The synergy built with our internal IT services provides first class solutions able to optimize timing and methodology for managing customer requirements. The connecting link to our customers is all-round innovation found within our manufacturing, logistics and packaging processes in creating innovative products and services.



# RELIABLE

---

## **Dedicated integrated team of professionals**

committed to each single customer

---

## **Experienced personnel**

for your support

---

# YOUR REQUESTS, OUR EVERYDAY COMMITMENT

Everything we do is designed and oriented to meet your needs and expectations: an excellent product, all necessary certifications, prompt delivery terms, constant technical support and care of every detail along with a cross-functional team to support you at the best.

Thanks to an integrated manufacturing process, a worldwide sales and service network able to ensure closeness to local markets, we can provide solutions that best suit your needs promptly.

# PASSIONATE




---

Dedicated  
**Training  
Center**

---

**Abt. 7,000  
training days**  
per year

---

All the main  
**Quality  
and Safety  
certifications**

---

## OVER 2,000 PEOPLE, ONE SINGLE COMPANY, ONE SINGLE MARKET FORCE

We aim to create an environment where all individuals can fulfill their potential, maintaining safety and health related issues in first place.

We care for the professional development of our workforce members: we have created a specific training center, as our employees are our primary asset and they mark the difference with their expertise and competence.

Their passion and motivation are the first welcome Acciai Speciali Terni gives to each customer.





# PRODUCTS PORTFOLIO

Shaping your projects


**Our range is enriched every day with new products and finishes.**

We are able to produce austenitic, ferritic and martensitic stainless steels to meet the needs and expectations of customers from every market segment: transportation, household applications, industrial goods, architectural applications, tubes, pumps and other innovative applications. Each grade of stainless steel can differ widely in terms of chemical composition, mechanical properties, corrosion resistance, cold formability and weldability. We offer semi-finished products (hot-rolled coils), hot white band and cold-rolled stainless steel.

The product is manufactured with different thicknesses, widths and lengths based on specific customer requirements and needs.

Our Finishing Center is able to offer a wide range of surface finishes to improve aesthetics and technical performance of the product.

Our technical service, always close to the customer, supports the selection of the most suitable grade and more appropriate finish for the specific needs and final application of the stainless steel.



# A COMPLETE OFFER OF STAINLESS STEEL GRADES

		FERRITIC														AUSTENITIC																					
		FERRO CHROME			FERRO CHROME STABILIZED							FERRO CHROME STABILIZED SUPER FERRITIC		FERRO CHROME MOLYBDENUM			FERRO CHROME NICKEL								FERRO CHROME NICKEL MOLYBDENUM				HEAT RESISTANT								
ACCIAI SPECIALI TERNI		410 S	STR 12	430	409	409 LI	430 TI	439 M	439 MPS	441 LI	441 PS	470 LI	434	444	4513	301	301 Cu	301 L	304	304 L	304 DL	304 MSA	304 MS	304 PSA	304 PS	304 PSQ	321	316	316 L	316 SLD	316 Ti	304 H ****	309 S *****	310 S *****	321 H *****	4828 *****	
EN 10088-2		1.4000	1.4003	1.4016	1.4512	1.4512	1.4520	1.4510	1.4510	1.4509	1.4509	1.4613	1.4113	1.4521	1.4513	1.4310	1.4310	1.4318	1.4301	1.4306	1.4307	1.4301	1.4301	1.4301	1.4301	1.4301	1.4541	1.4401	1.4404	1.4435	1.4571	1.4948	1.4833	1.4845	1.4878	1.4828	
DELIVERY CONDITIONS																																					
HOT ROLLED COILS AND SHEETS	Finish 1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Floor plates																			✓		✓	✓					✓	✓								
COLD ROLLED COILS AND SHEETS	2E															✓			✓		✓						✓		✓		✓						
	2D / 2B	✓	✓	✓*	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	BA			✓		✓	✓	✓	✓	✓***	✓***	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Work hardened			✓**												✓		✓	✓					✓	✓												
	Patterned			✓															✓		✓	✓	✓	✓	✓				✓								
TYPICAL COMPOSITION	C	0.03	0.02	0.04	0.02	0.01	0.02	0.02	0.02	0.02	0.02	0.01	0.06	0.02	0.02	0.10	0.09	0.03	0.04	0.03	0.025	0.04	0.04	0.04	0.04	0.04	0.05	0.06	0.03	0.03	0.05	0.06	0.06	0.05	0.05	0.05	
	Cr	12.2	11.3	16.2	11.5	11.5	16.2	17.7	17.7	18.2	18.2	24.0	16.7	17.7	16.3	17.4	17.2	17.2	18.2	18.2	18.2	18.2	18.2	18.2	18.2	17.3	16.7	16.7	17.4	16.7	18.2	22.6	24.3	17.2	19.3		
	Ni	-	0.5	-	-	-	-	-	-	-	-	-	-	-	-	7.6	6.0	6.6	8.1	10.1	8.1	8.1	8.6	8.6	9.1	9.6	9.1	10.6	10.3	13.0	10.6	8.1	13.1	19.1	9.1	11.1	
	Mo	-	-	-	-	-	-	-	-	-	-	-	1.0	2.1	1.2	-	-	-	-	-	-	-	-	-	-	-	2.1	2.1	2.7	2.1	-	-	-	-	-	-	
	Others	-	-	-	Ti	Ti	Ti	Ti, Nb	Ti, Nb	Ti, Nb	Ti, Nb	Ti, Nb	Ti, Nb	-	Ti, Nb	Ti	-	Cu	N	-	-	-	Cu	-	Cu	-	-	Ti	-	-	-	Ti	N	Si	Si	Ti	Si
MECHANICAL PROPERTIES AT 20 °C - TYPICAL VALUES	0.2% Yield Strength Mpa	300	320	300	250	250	300	280	280	300	290	330	320	330	300	280	270	350	270	250	250	260	250	250	240	250	300	270	300	270	300	300	260	260	290		
	Rm tensile Strength MPa	450	500	500	420	420	450	450	450	470	450	490	500	500	470	700	750	800	650	570	630	630	630	620	600	600	590	610	580	600	580	600	600	580	600	640	
	Elongation A% A <sub>90</sub> (thickness <3mm) A <sub>5</sub> (thickness ≥3mm)	25	23	27	30	32	27	28	34	30	34	30	25	28	28	50	58	45	54	55	54	56	56	58	58	60	57	50	52	50	55	54	45	45	57	55	
FOOD CONTACT D.M. 21/3/73			✓						✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
CORROSION RESISTANCE	General	o	o	+	o	o	+	+	+	+	+	+++	++	+++	++	+	++	++	++	++	++	++	++	++	++	+++	+++	+++	++++	+++	++	+++	+++	+++	+++	+++	
	Pitting	o	o	+	o	+	++	+	++	++	++	+++	++	+++	++	+	++	++	++	++	++	++	++	++	++	+++	+++	+++	++++	+++	++	+++	+++	+++	+++	+++	
	SCC	+	+	++	+	+	++	++	++	++	++	+++	++	+++	++	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	
	Heat resistance	o	o	+	o	++	+	++	+	+++	+++	+++	+	+	+	+	++	++	++	++	++	++	++	++	++	++	+++	++	++	++	++	++	+++	+++	+++	+++	
COLD FORMABILITY	+	+	+	++	++	++	++	++	++	+++	+++	++	+	+	++	++	+++	++	++	+++	++	+++	+++	++++	++++	++++	+++	++	+++	+++	+++	+++	++	+	+	++	+
WELDABILITY	+	++	+	++	+++	+++	+++	+++	+++	+++	+++	+	+	+++	+++	++	+++	++++	+++	++++	++++	+++	+++	+++	+++	+++	+++	+++	++++	++++	++++	+++	+++	++	++	+++	

The above table reports the main steels produced and traded by Acciai Speciali Terni. Other steel grades are also available. You can check them out on our website. For any different requirements, please contact marketing.ast@acciaiterni.it

The above mentioned figures, which refer to 1 mm CR, 2B finish, are approximate; they can vary according to thickness and finishing

\* 2D/2B finish is feasible only in relation to the final use  
 \*\* 430 HT grade (1.4017) coil after work hardening process  
 \*\*\* Only for max. thickness 1.0 mm  
 \*\*\*\* Chemical composition and mechanical properties according to EN 10028  
 \*\*\*\*\* Chemical composition and mechanical properties according to EN 10095

o Not applicable/not required  
 + Acceptable  
 ++ Good  
 +++ Excellent  
 ++++ Superior performance



# COLD ROLLED

Stainless steel

# INOX



## Dimensions

COLD ROLLED COILS				
STEEL GROUP	THICKNESS mm		WIDTH mm	
	FROM	TO	FROM	TO
AUSTENITIC 2D-2B	0.4	0.69	100	1270
	0.7	5	100	1520
AUSTENITIC AND FERRITIC BA	0.35*	0.79	100	1270
	0.8	1.5	100	1520
	1.51	2	100	1270
FERRITIC 2D-2B	0.35*	0.79	100	1270
	0.8	3	100	1520

Coil inner diameter: 610 mm and 508 mm

COLD ROLLED SHEETS						
STEEL GROUP	THICKNESS mm		WIDTH mm		LENGTH mm	
	FROM	TO	FROM	TO	FROM	TO
AUSTENITIC 2D-2B	0.4	0.69	150	500	250	4000
	0.4	0.69	501	1000	500	4000
	0.4	0.69	1001	1250	1000	4000
	0.7	3	150	500	250	4000
	0.7	3	501	1000	500	4000
	0.7	3	1001	1250	1000	4000
	0.7	3	1251	1524	1000	6000
	3.01	5	500	1000	1000	4000
	3.01	5	1001	1250	1000	4000
AUSTENITIC AND FERRITIC BA	0.35*	1.5	150	500	250	4000
	0.35*	1.5	501	1000	500	4000
	0.35*	1.5	1001	1250	1000	4000
	0.8	1.5	1251	1524	1000	6000
	1.51	2	150	250	500	4000
	1.51	2	501	1000	500	4000
FERRITIC 2D-2B	0.35*	0.79	150	500	250	4000
	0.35*	0.79	501	1000	500	4000
	0.35*	0.79	1001	1250	1000	4000
	0.8	3	150	500	250	4000
	0.8	3	501	1000	500	4000
	0.8	3	1001	1250	1000	4000
	0.8	3	1250	1524	1000	6000

\* 0.35 mm thickness availability to be checked upon request

## Tolerances

THICKNESS TOLERANCES COILS AND SHEETS	
THICKNESS	TOLERANCES*
≤ 0.59	± 0.030
0.60 - 0.99	± 0.040
1.00 - 1.49	± 0.050
1.50 - 1.99	± 0.060
2.00 - 2.99	± 0.090
3.00 - 4.49	± 0.13
4.50 - 4.99	± 0.14
5.0	± 0.15

\* Measured 30 mm from edge  
Asymmetric tolerances available

WIDTH TOLERANCES COILS AND SHEETS		
THICKNESS	WIDTH	TOLERANCES*
≤ 1.75	< 150	- 0 + 0.3
1.76 - 2.50		- 0 + 0.4
2.51 - 3.00		- 0 + 0.5
≤ 1.75	151 - 230	- 0 + 0.3
1.76 - 3.00		- 0 + 0.5
3.01 - 5.00		- 0 + 2.0
≤ 3.00	231 - 609	- 0 + 0.5
3.01 - 5.00		- 0 + 2.0
≤ 3.00	610 - 1524	- 0 + 1.5
3.01 - 5.00		- 0 + 2.0

\* Measured 30 mm from edge  
Asymmetric tolerances available

OTHER TOLERANCES			
LENGTH		FLATNESS	CAMBER
LENGTH	TOLERANCES mm		
250 - 2000	- 0 + 4	According to required standard	According to required standard
2001 - 4000	- 0 + 6		
4001 - 6000	- 0 + 8		

Special requests of dimensions and tolerances will be evaluated from time to time

### Surface Protection

Cold rolled products are protected with interleaving paper; on request they can be delivered without protection or protected on one side or both by a removable plastic film based on the customer requirements.

## Surface Finishes

A wide range of surface finishes for aesthetic and technical solutions.

FINISHES					
DESCRIPTION	AISI ASTM A 480	EN 10088-2	ACCIAI SPECIALI TERNI EQUIVALENT	SURFACE CONDITIONS	COMMENTS
Hot rolled, annealed, pickled and cold rolled		2H	Work hardened	Bright	Cold worked to achieve higher tensile strength
Cold rolled, annealed and mechanically descaled		2E	ZH	Rough and dull	Usually applied to steels with a scale which is very resistant to pickling solutions
Cold rolled, annealed and pickled	2D	2D	2D	Smooth	Finish for good formability, but not as smooth as 2B or 2R
Cold rolled, annealed, pickled and skinpassed	2B	2B	2B	Smoother than 2D	Most common finish to ensure good corrosion resistance, smoothness and flatness
Cold rolled, bright annealed and light skinpassed	BA	2R	BA	Smooth, bright, mirror-like	Smoother and brighter than 2B
Polished	3	2K	3	Dull	Unidirectional texture
Polished	4	2K	4	Polished, bright	Unidirectional texture
Polished	3	2G	3	Dull polished	Unidirectional texture
Polished	4	2G	4	Bright polished	Unidirectional texture
Scotch Brite	-	2J	Scotch Brite	Brushed	Unidirectional texture Ra<0,2µm
Duplo	4	2K	Duplo	Soft bright polished	Unidirectional texture, Ra<0,5µm
Transparent coil-coated	-	-	Silver Ice®	Steel texture is visible	Anti-fingerprint, easy-to-clean
Coloured coil-coated	-	2L	Vernest®	Coloured	General use coloured coating
Pre-primed coil-coated	-	-	Primerinox®	Backing coat on B-side	Improves the adhesion of PU/epoxy foams

Surface finishes availability must be verified by steel grade on the basis of specific requests

## Standard Finishes



### 2H - Work hardened coils

TYPICAL MECHANICAL PROPERTIES				
GRADE ACCIAI SPECIALI TERNI	COLD WORK LEVEL	TENSILE STRENGTH Rm (mpa)	0.2% STRENGTH Rp 0.2% mpa	ELONGATION A50 (%)
301 301 L	Annealed	> 620	> 310	> 40
	1/8 hard	> 690	> 380	> 40
	1/4 hard	> 860	> 515	> 25
	1/2 hard	> 1035	> 760	> 18
	3/4 hard	> 1205	> 930	> 12
	full hard	> 1275	> 965	> 9
304	Annealed	> 515	> 205	> 40
	1/16 hard	> 620	> 310	> 40
	1/8 hard	> 690	> 380	> 30
	1/4 hard	> 860	> 515	> 10
	1/2 hard	> 1035	> 760	> 7
430 HT	Up to HRC 32			

Delivery conditions: thickness from 0.4 to 2.00; width from 1000 to 1250 mm  
The hardening operation gives stainless steel higher mechanical resistance. Acciai Speciali Terni 430 HT, 304, 301 and 301 L are delivered in the work hardened condition

### 2E - Cold rolled, annealed and mechanically descaled

Thickness tolerances according to UNI EN ISO 9445-2


STEEL GROUP	MINIMUM THICKNESS mm		
	WIDTH mm		
	1020	1270	1520
304 / 321	1.50	1.50	2.50
301	1.50	1.80	3.00
316L	1.50	2.50	4.00
309S	1.80	2.00	3.50
310	1.80	3.00	4.00

Shown table may be revised in the future for additional thickness ranges and new materials


## Patterned and Micro-Patterned finishes

Perfection is shown in all its details


Patterned and micro-patterned finishes are obtained using specifically patterned cylinders during cold rolling operations and followed by bright annealing.



### Patterned Finishes



### Micro-Patterned Finishes



### Personalized patterns on request

AVAILABLE DIMENSIONS			
TYPE	THICKNESS	WIDTH	SHEETS
304 / 430	0.6 ÷ 1.5	500 ÷ 1250	500 ÷ 4000
	0.8 ÷ 1.5	1251 ÷ 1520	500 ÷ 4000

\* Based on project.

## VIVINOX® Coil coated stainless steel

**Vivinox®** is Acciai Speciali Terni's brand of coil-coated products, manufactured with special organic coatings which allow the enhancement and customization of the surface finishes found on all standard stainless steel grades.


With the anti-fingerprint coating **Silver Ice®**, the visual impact of stains and fingerprint smudges is lowered. Furthermore, these stains can be dry-cleaned – no cleaning fluids and rinsing needed! **Silver Ice®** also offers a limited protection against scratches and corrosion.

Stainless steel panels coated with **Vernest®** colored coatings offer unlimited freedom in the choice of color schemes for architectural and construction projects.


The organic primer layer applied on the bottom side of the **Primerinox®** products increases the surface energy of stainless steel, allowing for an optimal spread and adhesion of epoxy and PU foams.

The **Vivinox®** organic coatings are applied on stainless steel on a state-of-the-art coil coating line which ensures that the product properties are homogenous over the entire surface of the coil.

Silver Ice®



Vernest®



## Coil coated stainless steel

### PRODUCT RANGE

	MIN	MAX
Thickness	0.4 mm	1.2 mm
Width	100 mm	1500 mm
Coil weight	2,000 kg	12,000 kg
Surface protection	Temporary protective film on request	
Packaging	Special for coil coated products	

### ORGANIC COATS

SERIES		DRY FILM THICKNESS	DESCRIPTION
SILVER ICE®	Transparent finishing	1.5 - 3.5 µm	Anti-fingerprint and cleanability properties
VERNEST®	Coloured finishing	20 - 25 µm	Polyester, super polyester or PVDF are available for outdoor applications
PRIMERINOX®	Preprimed surface	5 - 8 µm	For foam adhesion, post painting, adhesive structural bonding

Various steel grades and coatings can be provided in agreement with the sales department



# HOT ROLLED

Stainless steel


# INOX



## Dimensions

HOT ROLLED COILS				
STEEL GROUP	THICKNESS mm		TRIMMED EDGES	MILL EDGES
SHEETS FROM 1000 TO 6000 mm	FROM	TO	WIDTH mm	
Ferro Chrome - Chrome Molybdenum and Stabilized Ferritic	2.0	6.5	1000	1020
	2.5	6.5	1250	1270
	3.5	6.5	1500	1520
Superferritic	5.0	6.5	1000	1020
	5.0	6.5	1250	1270
	5.0	6.5	1500	1520
Ferro Chrome Nickel Austenitic*	1.84	6.5	1000	1020
	2.5	6.5	1250	1270
	3.5	6.5	1500	1520
Ferro Chrome Nickel Molybdenum and Heat Resistant Austenitic	2.5	6.5	1000	1020
	3.5	6.5	1250	1270
	5.5	6.5	1500	1520

\* Ferro Chrome Nickel Manganese Nitrogen Austenitic available  
321 for 1520 mm length, min. thickness 3.8 mm





## Surface Finishes

A wide range of surface finishes for aesthetic and technical solutions.

### Finishes



1

FINISHES					
DESCRIPTION	AISI ASTM A 480	EN 10088-2	ACCIAI SPECIALI TERNI EQUIVALENT	SURFACE CONDITIONS	NOTE
Hot rolled, not annealed not pickled	(HR)	1U	Black	Covered with mill scale	Suitable for products which are further processed (e.g. Strip for rerolling)
Hot rolled, annealed and pickled	1	1D	1	Free from scale	Normal standard to guarantee good corrosion resistance
Floor plates		1M	1M	Floor pattern	Patterned on one side

## Tolerances

TOLERANCES			
THICKNESS	TOLERANCE*	WIDTH	LENGTH
2.00	± 0.12 mm	- 0 + 20 mm Rough edges	- 0 + 8 mm for sheets
2.01 - 5.0	± 0.15 mm		
5.01 - 6.0	± 0.18 mm	- 0 + 3 mm Trimmed edges	
>6.0	± 0.22 mm		

Inner coil diameter:  
610 mm (implicit) and 508 mm

CAMBER 20 mm every 5 metres

FLATNESS According to required standard

\* Or asymmetrical tolerances of the same total range; thickness is measured 40 mm from the edge  
Special requests of dimensions and tolerances will be evaluated upon need

### Finishes



Floor Plates

### Floor Plates

FLOOR PLATES SPECIFICATIONS								
Nominal thickness (mm)	3	3.5	4	4.5	5	5.5	6	6.35
Pattern thickness (mm)	1.39	1.39	1.39	1.52	1.52	1.52	1.52	1.52
Weight (kg/m <sup>2</sup> )	30	33	38	41	45	48	52	55
Length (mm)	1000 - 6000							
Acciai Speciali Terni 304 MS - 304MSA - 304 L	Width	1020. 1270 mm			Min. thickness	3 mm		
		1545 mm				4 mm		
Acciai Speciali Terni 316 - 316 L	Width	1020 mm			Min. thickness	4 mm		
		1270 mm				5 mm		

Antisliding characteristics of floor plates are certified according to DIN 51130  
Dimensional tolerances of the pattern are according to ASTM A793 Pattern B  
Special requests of dimensions and tolerances will be evaluated upon need





# TAILOR MADE SERVICES

Solutions designed to meet your needs

Quality Management System  
Technical Customer Support  
Supply Chain

Packaging

## Quality Management System

The Acciai Speciali Terni group started to produce steel under a Quality System in the 1970s, with the granting of a Quality System Certificate by ASME (the American Society of Mechanical Engineers) and it continued through the 1990s with greater impetus. Acciai Speciali Terni is certified ISO 9001:2008 Certificate No. 9009 by IGQ – Istituto Italiano di Garanzia della Qualità. This body is a member of CISQ (Italian Certification for Company Quality Systems), a member of IQNet, The International Certification Network. This Certificate covers all operations and productions carried out at Acciai Speciali Terni plants. Acciai Speciali Terni also holds Certificate No. 09/2001/MUC by TÜV Süddeutschland, attesting Quality System compliance with the Pressure Equipment Directive 97/23/EC (PED).

In addition to the above Quality System Certifications, Acciai Speciali Terni holds the following product approvals:

- production and trading of items for pressure vessels in accordance with AD-2000 Merkblatt W0, W2 and W10 by TÜV Süddeutschland
- production and trading of construction products according to Regulation CPR 305/2011 CE and standards 10088-4/5; CE marking of stainless steel products by IGQ
- anti-slip properties of floor plates according to DIN 51130 by TÜV Rheinland
- confirmation of the environmental certification in accordance with UNI EN ISO 14021 on the minimum post-consumer waste content (IGQ) of austenitic ferritic and carbon steels
- approval of Manufacturer Certificate for Naval Applications issued by Lloyd's Register
- approval of Manufacturer Certificate for Naval Application issued by DNV DL.



## Technical Customer Support

### Worldwide support

High quality products requires the highest standards of service.

Our work consists in ensuring the highest quality in technical service and support.

Our worldwide network is at your service to provide insights and information on products, testing applications and help you to identify the product and finish that best suits your manufacturing needs.

In every step of our supply, your needs require our constant commitment.

## Supply Chain

### From design to delivery, our service is always tailor made

With our network of worldwide sales and service centers, we are close enough to every customer to ensure maximum efficiency even with delivery time.

Our global presence supported by an innovative IT and logistics infrastructure, helps us simplify and speed up the management process, enabling us to satisfy any request within a highly competitive time frame.



# QUALITY

# Packaging

## Coils Packaging



Example of packaging for eye-to-the-side coils (R7)

EYE-TO-THE-SIDE COILS (min. width 650 mm)						
	99	R7	R1	R2	R8	RT
Wooden board			✓	✓	✓	
Anti-parasite wooden board						✓
Outer protection with ribbed plastic sheet	✓		✓	✓	✓	✓
Outer protection with heavy slatted cover		✓				
Edge-protection angle pieces		✓			✓	✓
Multiple pieces				✓		
Strip wrapped in plastic film						✓



Example of packaging for eye-to-the-sky coils (V1)

EYE-TO-THE-SKY COILS (height ≤1000 mm)						
	V1	V1	V2	VC	VB	VT
Wooden board	✓	✓	✓	✓	✓	
Anti-parasite wooden board				✓		✓
Outer protection with ribbed plastic sheet, smooth plastic sheet and lower disk		✓	✓	✓	✓	✓
Outer plastic collar		✓	✓	✓	✓	✓
Edge-protection angle pieces				✓	✓	
Strips wrapped in nylon film				✓	✓	✓
Multiple pieces	✓	✓	✓	✓	✓	✓
Hygroscopic salts inside					✓	
Upper ribbed plastic disk			✓	✓	✓	✓

## Sheets Packaging



Example of packaging for blanks (Q1)

BLANKS			
	Q1	QT	QR
Wooden frame	✓		
Anti-parasite wooden frame		✓	✓
Protection for upper and lower package faces	✓	✓	✓
Package wrapped in polythene paper *		✓	✓
Vertical edge-protection angle pieces		✓	✓
Horizontal edge-protection angle pieces	✓	✓	✓
Pickup side turned by 90°			✓

\* Packages may be wrapped or only covered with polythene paper



Example of packaging for sheets (F8)

SHEET PACKAGES			
	F7	F8	FT
Wooden frames	✓		
Anti-parasite wooden frames		✓	✓
Cover for upper and lower package sides	✓	✓	✓
Package covered with plastic film			✓
Package wrapped in plastic film	✓	✓	
Horizontal edge-protection angle pieces	✓	✓	✓
Standard size board			✓
Fork pickup board	✓	✓	

Different packaging types may be provided whose special features depend on product and customer requirements






# MANUFACTURING EFFICIENCY

Fully integrated manufacturing plant, unique in the world

You can count on a completely integrated and highly efficient productive cycle. All steps of the manufacturing processes are completed at the Terni plant, from the steel casting to the surface finish treatment as to customize all solutions to your needs. Our processes are constantly monitored and certified.







**ACCIAI SPECIALI TERNI**

**HEAD OFFICE**

Viale B. Brin, 218 – 05100 Terni – Italia  
Tel. +39 0744-4901  
www.acciaiterni.it

**INTERNAL SALES / MARKETING**

oliver.thues@thyssenkrupp.com

**MARKETING**

fabrizio.ricci-feliziani@acciaiterni.it

Tel. +39 0744-490282  
marketing.ast@acciaiterni.it

**GLOBAL KEY ACCOUNTS**

marco.ugolotti@acciaiterni.it

**REGIONAL SALES**

marion.oeckel@thyssenkrupp.com

**TECHNICAL SALES**

ulrich.brand@thyssenkrupp.com

---

Global vision, innovation, customer orientation, reliability and passion represent the values that have helped us to grow and become one of the world's leading producer of stainless steel flat products within an integrated manufacturing site. Our more than 130 years of market experience are enriched by a new mission: to be the ideal international partner offering pioneering and efficient individual tailor made solutions. Our priority is to provide a wide range of products and services, primarily supported by the passion of our workforce.

