

04_2026



**STAINLESS
STEEL
FLAT PRODUCTS**
PRODUCT CATALOGUE

Arvedi AST 

**STAINLESS
STEEL
FLAT PRODUCTS**
PRODUCT CATALOGUE



The Arvedi Group

In 1963 Giovanni Arvedi founded his first two companies for the manufacture and trade of carbon steel welded tubes.

In the 1980s, needing to ensure regular procurement of high-quality raw materials, it began the design and construction of the group's own state-of-the-art steelworks, Acciaieria Arvedi, using original and competitive process technology, studied, developed and patented worldwide under the name Arvedi ISP and ESP.

In 2022 Arvedi acquired from ThyssenKrupp the company AST Terni, a leader in the production of special steels, with an important investment plan which aims to expand production and achieve decarbonisation through the application of the main concepts of the circular economy. The Arvedi Group has taken on a leading role in Europe in the field of environmentally compatible steelmaking and includes a series of operations ranging from primary products, such as steel and hot rolled coils, to finished products in the form of re-rolled precision strip, tubes and stainless steel forged products. Today the Arvedi Group operates in the production of hot rolled carbon and stainless steel coils, carbon and stainless steel tubes, the precision re-rolling of stainless steel strip and in the trading of steel products. All the Group companies have been conceived with a view to specialisation, optimised as regards production organisation and plants, with state-of-the-art technology and in-house operating practices designed to improve efficiency, quality and flexibility. Highly qualified and competent management guiding a lean and flexible organisation ensures maximum production and quality efficiency as well as a high level of service with particular attention to market developments and requirements. The technological, ergonomic and ecological choices made allow the group to operate fully respecting man and the environment.

The Holding Company and the Group's industrial structure

Finarvedi is the holding company of the Arvedi Group, the core business of which is composed of steelmaking operations with volumes of over 6 million tonnes of products characterised by high quality and destined for the most demanding markets. The Arvedi Group has about 6000 employees and revenues of about 7 billion Euro. The recent acquisition (January 2022) of AST Terni has given the Group an important role also in the primary steelmaking sector for stainless steel and has contributed to growth in volumes and revenues.

The companies already present in the Group – ILTA Inox and Arinox – will be able to exploit the synergies arising from the presence of AST, a manufacturer of raw materials in the form of coils.

Finarvedi SpA

CARBON STEEL		STAINLESS STEEL	
Acciaieria Arvedi 	Arvedi Tubi Acciaio 	Arvedi AST 	iltainox 
CSI Centro Siderurgico Industriale	Metalfer 	SDF 	Arinox 
Euro-Trade	Metalfer Poland 	Terninox 	
	Metalfer Automotive 	AST Deutschland 	
	Metalfer Morocco	AST Turkey 	
	Arvedi Metalfer Brasil 	Tubificio di Terni 	

Arvedi AST: a new integrated company, a new force on the market, with a stainless passion for steel.

With more than 140 years of experience, Arvedi AST, part of the Arvedi Group, is one of the most important integrated steelmaking sites in Europe in the stainless steel sector. Its core business is stainless steel flat products, for which it is market leader in Italy and one of the leading producers in Europe. As well as flat rolled steel, the company also produces forgings in special steels, among the largest in the world, through its Forgings Division.

Tubificio di Terni, the Arvedi AST controlled company, deals with the production of ERW stainless steel tubes.

Thanks to its integrated service centers (Terninox and CST), the expertise and innovative capacity of its technical and sales teams, Arvedi AST products reach customers all over the world.



Arvedi AST 

**HIGH QUALITY PRODUCTS
SOLUTIONS IN LINE WITH CUSTOMER NEEDS
RESPONSIBLE PRODUCTION
WE INVEST TODAY TO DESIGN TOMORROW**



Stainless steel expertise and innovation in processes, products and services

The production plants are concentrated in Terni in an area of over 1.5 million square metres and cover the complete manufacturing cycle, from melting, rolling and finishing to packing. Equipped with the most advanced technologies, ArvediAST produces about one million tonnes of stainless steel flat products per year. Our factory produces semi-finished (Black coils) hot rolled and cold rolled austenitic, ferritic stainless steel products, with different dimensions and finishes to meet customer needs and expectations. The quality of products and services have led our stainless steel to be the raw material of excellence in several market sectors. In fact, each grade of stainless steel presents considerable differences in terms of chemical composition, mechanical properties and corrosion resistance, cold forming and weldability. Thanks to the integrated service centers (CST and Terninox), ArvediAST is able to offer a wide range of surface finishes to improve the product's aesthetics and technical

functionality. Various processes are also carried out including longitudinal and cut-to-length to supply the product according to the specific dimensions requested by the customer. The wide range is complemented by the support of an integrated team of technicians to provide solutions and maximum reliability.

The management and organisation approach followed by ArvediAST is based on safety, quality and continuous improvement which is taking the company to explore new and wider markets, guided by the logic of adopting leading innovation and process technologies based on independent R&D (collaboration with the Centro Sviluppo Materiali - CSM RINA, one of the leading Italian Centers for research in the fields of materials). The high level of quality of ArvediAST's products is the result of a combination of key factors: system state-of-the-art technology, the level of equipment and laboratories, and in particular the contributions of highly qualified, specialised engineers.

Arvedi AST 
PLANTS AND PRODUCTS






SDF

Forgings Division, with a production unit which covers an area of 120,000 square metres, manufactures a wide range of forged artefacts, made from high quality steels, produced according to a century of metallurgical experience updated with the most modern processing techniques.



Tubificio di Terni

The controlled company, Tubificio di Terni, that occupies an area of 45.000 sqm, is leader in the manufacture of ERW stainless steel tubes. The company is considered worldwide the primary specialist for the automotive, building and urban furnishing industries.

INTEGRATED PRODUCTION SITE UNIQUE IN THE WORLD



FINISHING



Efficiency of the production processes

Our customers can count on high production efficiency: we utilise a fully integrated production process. All stages of the process are carried out at the Terni site, from casting in a steel mill to surface processing carried out at the finishing centers to provide tailor-made solutions. Our processes are constantly monitored and certified.



Arvedi AST 

**EXPERIENCE, INNOVATION, SUSTAINABILITY:
VISION OF TOMORROW**

Arvedi


Innovation is found in the production processes, in packaging, in logistics; it is the link with our customers to create cutting-edge products and services. The collaboration with the Centro Sviluppo Materiali (CSM RINA), one of the leading Italian centres for research in the field of materials, ensures excellent quality standards worldwide.

Arvedi AST started to build the history of Italian steelmaking over 140 years ago; today it has become the factory of the future with the new mission: to be a partner of companies from all over the world, offering each of its customers a wide range of efficient and quality products and solutions with the added value of a "responsible" production, strengthened by the new investments.

"The Spirit gives you the strength to innovate and see something that doesn't exist yet.

Then technique and technology intervene.

It is the moment in which the Spirit confronts reality and gives substance to innovation.

Everything comes from something that you imagine doesn't exist yet.

Even in the face of the greatest challenges, man always surpasses himself"



Cav. Giovanni Arvedi



SUSTAINABILITY AND ENVIRONMENTAL AWARENESS

Issues relating to safety, health and the environment are deeply rooted in the philosophy and core business of AST as well as in all companies of the Arvedi Group. Arvedi AST undertakes to ensure safe and healthy working conditions and environments for its employees and associates, aimed at their physical and moral integrity that respect individual dignity. The Company adopts and maintains appropriate management systems aimed at identifying and preventing any risks situations, implementing suitable measures in order to ensure the health and safety of all personnel and safeguard the environment. The constant improvement of technologies, research and innovation, results in products with a high degree of environmental

compatibility and a significant reduction in the environmental impacts of industrial activities. A responsible approach that translates into the implementation of guidelines and behavioural practices dictated by national and international "best practices", with the aim of meeting the highest quality standards. Attention to the environment has always represented an absolute priority for Arvedi AST, to the point the Company has developed an approach aimed not only at respecting the various parameters required by legislation, but also at the implementation of more restrictive environmental self-regulation criteria than those required by current regulations.



The increased focus on the issue of environmental sustainability of economic activities has raised sensitivity towards the improvement of risk indicators and laid the foundations for the implementation of a monitoring and planning system for ecological interventions. The company has certified its environment management system according to ISO 14001, also focusing on environmentally friendly energy management. The investments in recent years dedicated to environmental projects guarantee sustainable processes. The presence and use of the railway in the handling of goods, which transports large quantities of materials by rail, is a further indicator of Arvedi AST's commitment to the environment.

WASTE RECYCLING
A pioneering circular economy project in Europe

URBAN RE-GENERATION
A district for sustainability, circular economy and urban regeneration in the Terni area



Arvedi AST first Italian company to obtain certification Responsible Steel™

ResponsibleSteel™ is the first international standard to establish certifiable requirements for the responsible processing and production of steel. Responsible Steel is a global non-profit initiative for multi-stakeholder standards and certifications, aiming to be a driving force in socially and environmentally responsible steel production. It was set up to promote and support responsible steel production by addressing the environmental, social and economic issues associated with the iron and steel sector.

Ecovadis

Arvedi AST received its annual Sustainability Assessment from EcoVadis, one of the world's leading providers of sustainability assessments for companies.

In particular, the evaluation reflects improved environmental and energy practices, robust health and safety policies and an increasing focus on responsible, supply chain dynamics.



STAINLESS STEEL

HIGH QUALITY PRODUCTS
SOLUTIONS IN LINE WITH CUSTOMER NEEDS
RESPONSIBLE PRODUCTION

Arvedi AST 
PRODUCT PORTFOLIO



Product portfolio

A complete range of stainless steel grades

		AUSTENITIC																				
		CHROME NICKEL										CHROME NICKEL MOLYBDENUM				HEAT RESISTANT						
ACCIAI SPECIALI TERNI		301	301 L	304	304 L	304 DL	304 MSA	304 MS	304 PSA	304 PS		304 PSQ	321	316	316 L	316 SLD	316 Ti	304 H ****	309 S *****	310 S *****	321 H *****	4828 *****
EN 10088-2		1.4310	1.4318	1.4301	1.4306	1.4307	1.4301	1.4301	1.4301	1.4301		1.4301	1.4541	1.4401	1.4404	1.4435	1.4571	1.4948	1.4833	1.4845	1.4878	1.4828
DELIVERY CONDITIONS																						
HOT ROLLED COILS AND SHEETS	N°1 Finish																					
	Floor plate																					
COLD ROLLED COILS AND SHEETS	2E																					
	2D / 2B																					
	BA																					
	Work hardened																					
	Patterned																					
TYPICAL COMPOSITION	C	0,10	0,03	0,04	0,03	0,025	0,04	0,04	0,04	0,04		0,04	0,05	0,06	0,03	0,03	0,05	0,06	0,06	0,05	0,05	0,05
	Cr	17,4	17,2	18,2	18,2	18,2	18,2	18,2	18,2	18,2		18,2	17,3	16,7	16,7	17,4	16,7	18,2	22,6	24,3	17,2	19,3
	Ni	7,6	6,6	8,1	10,1	8,1	8,1	8,6	8,6	9,1		9,6	9,1	10,6	10,3	13,0	10,6	8,1	13,1	19,1	9,1	11,1
	Mo	-	-	-	-	-	-	-	-	-		-	-	2,1	2,1	2,7	2,1	-	-	-	-	-
	Others	-	N	-	-	-	Cu	-	Cu	-		-	Ti	-	-	-	Ti	N	Si	Si	Ti	Si
MECHANICAL PROPERTIES AT 20 °C - TYPICAL VALUES	0.2% Yield Strength Mpa	280	350	270	250	250	260	250	250	250		240	250	300	270	300	270	300	300	260	260	290
	Rm tensile Strength MPa	700	800	650	570	630	630	630	620	600		600	590	610	580	600	580	600	600	580	600	640
	Elongation A% A ₈₀ (thickness < 3mm) A ₅ (thickness ≥ 3mm)	50	45	54	55	54	56	56	58	58		60	57	50	52	50	55	54	45	45	57	55
FOOD CONTACT M.D.21/3/73																						
CORROSION RESISTANCE	General	+	++	++	++	++	++	++	++	++		++	+++	+++	+++	++++	+++	++	+++	+++	+++	+++
	Pitting	+	++	++	++	++	++	++	++	++		++	+++	+++	+++	++++	+++	++	+++	+++	+++	++
	SCC	o	o	o	o	o	o	o	o	o		o	o	o	o	o	o	o	o	o	o	o
	Heat resistance	+	++	++	++	++	++	++	++	++		++	+++	++	++	++	++	++	++++	++++	++	+++
COLD FORMABILITY		++	++	++	+++	++	+++	+++	++++	++++		++++	+++	++	+++	+++	+++	++	+	+	++	+
WELDABILITY		++	++++	+++	++++	++++	+++	+++	+++	+++		+++	+++	+++	++++	++++	++++	+++	+++	++	++	+++

**** Chemical composition and mechanical properties according to EN 10028

***** Chemical composition and mechanical properties according to EN 10095

o Not applicable/not required
+ Acceptable
++ Good
+++ Excellent
++++ Superior performance

The above table reports the main steels produced and traded by Arvedi AST. Other steel grades are also available. You can check them out on our website. For any different requirements, please contact marketing.ast@acciaitermi.it

The above mentioned figures, which refer to 1 mm CR, 2B finish, are approximate; they can vary according to thickness and finishing

Product portfolio


A complete range of stainless steel grades

		FERRITIC											
		FERRO CHROME			FERRO CHROME STABILIZED					FERRO CHROME MOLYBDENUM			
ACCIAI SPECIALI TERNI		410 S	STR 12	430	409	409 LI	430 TI	439 M	441 LI		434	444	4513
EN 10088-2		1.4000	1.4003	1.4016	1.4512	1.4512	1.4520	1.4510	1.4509		1.4113	1.4521	1.4513
DELIVERY CONDITIONS													
HOT ROLLED COILS AND SHEETS	N°1 Finish												
	Floor plate												
COLD ROLLED COILS AND SHEETS	2E												
	2D / 2B			*									
	BA							***	***			***	
	Work hardened			**									
	Patterned												
TYPICAL COMPOSITION	C	0,03	0,02	0,04	0,02	0,01	0,02	0,02	0,02		0,06	0,02	0,02
	Cr	12,2	11,3	16,2	11,5	11,5	16,2	17,7	18,2		16,7	17,7	16,3
	Ni	-	0,5	-	-	-	-	-	-		-	-	-
	Mo	-	-	-	-	-	-	-	-		1,0	2,1	1,2
	Others	-	-	-	Ti	Ti	Ti	Ti, Nb	Ti, Nb		-	Ti, Nb	Ti
MECHANICAL PROPERTIES AT 20 °C - TYPICAL VALUES	0.2% Yield Strength Mpa	300	320	300	250	250	300	280	300		320	330	300
	Rm tensile Strength MPa	450	500	500	420	420	450	450	470		500	500	470
	Elongation A% A ₅ (thickness < 3mm) A ₈₀ (thickness ≥ 3mm)	25	23	27	30	32	27	30	28		25	28	28
FOOD CONTACT M.D.21/3/73													
CORROSION RESISTANCE	General	o	o	+	o	o	+	+	+		++	+++	++
	Pitting	o	o	+	o	+	++	+	++		++	+++	++
	SCC	+	+	++	+	+	++	++	++		++	+++	++
	Heat resistance	o	o	+	o	++	+	++	+++		+	+	+
COLD FORMABILITY		+	+	+	++	++	++	++	++		+	+	++
WELDABILITY		+	++	+	++	+++	+++	+++	+++		+	+++	+++

* 2D/2B finish is feasible only in relation to the final use

** 430 HT and 430 AR grades coil after work hardening process

*** Only for max. thickness 1.0 mm, larger thicknesses will be agreed according to the use



The above table reports the main steels produced and traded by Arvedi AST. Other steel grades are also available. You can check them out on our website. For any different requirements, please contact marketing.ast@acciaitermi.it

The above mentioned figures, which refer to 1 mm CR, 2B finish, are approximate; they can vary according to thickness and finishing

o Not applicable/not required
+ Acceptable
++ Good
+++ Excellent
++++ Superior performance

STAINLESS STEEL

Arvedi AST 

COLD ROLLED

Arvedi AST 

Dimensions

COLD ROLLED COILS				
STEEL GROUP	THICKNESS mm		WIDTH mm	
	FROM	TO	FROM	TO
FERRITIC 2D-2B	0,35*	0,79	100	1270
	0,8	3	100	1520
AUSTENITIC AND FERRITIC BA	0,35*	0,79	100	1270
	0,8	1,5	100	1520
AUSTENITIC 2D-2B	0,4	0,69	100	1270
	0,7	5	100	1520

Coil inner diameter: 610 mm and 508 mm

COLD ROLLED SHEETS						
STEEL GROUP	THICKNESS mm		WIDTH mm		LENGTH mm **	
	FROM	TO	FROM	TO	FROM	TO
FERRITIC 2D-2B	0,35*	0,79	150	500	250	4000
	0,35*	0,79	501	1000	500	4000
	0,35*	0,79	1001	1250	1000	4000
	0,8	3	150	500	250	4000
	0,8	3	501	1000	500	4000
	0,8	3	1001	1250	1000	4000
AUSTENITIC AND FERRITIC BA	0,35*	1,5	150	500	250	4000
	0,35*	1,5	501	1000	500	4000
	0,35*	1,5	1001	1250	1000	4000
	0,8	1,5	1251	1524	1000	6000
	1,51	2	150	250	500	4000
	1,51	2	501	1000	500	4000
AUSTENITIC 2D-2B	1,51	2	1001	1250	1000	4000
	0,4	0,69	150	500	250	4000
	0,4	0,69	501	1000	500	4000
	0,4	0,69	1001	1250	1000	4000
	0,7	3	150	500	250	4000
	0,7	3	501	1000	500	4000
	0,7	3	1001	1250	1000	4000
	0,7	3	1251	1524	1000	6000
	3,01	5	500	1000	1000	4000
	3,01	5	1001	1250	1000	4000
3,01	5	1251	1524	1000	6000	

* 0.35 mm thickness availability to be checked upon request

** >6000 length will be evaluated on client's request

Cold rolled Tolerances

THICKNESS TOLERANCES COILS AND SHEETS

THICKNESS	TOLERANCES*
≤ 0,59	± 0,030
0,60 - 0,99	± 0,040
1,00 - 1,49	± 0,050
1,50 - 1,99	± 0,060
2,00 - 2,99	± 0,090
3,00 - 4,49	± 0,13
4,50 - 4,99	± 0,14
5,0	± 0,15

* Measured 30 mm from edge
Asymmetric tolerances available

WIDTH TOLERANCES COILS AND SHEETS

THICKNESS	WIDTH	TOLERANCES*
≤ 1,75	< 150	- 0 + 0,3
1,76 - 2,50		- 0 + 0,4
2,51 - 3,00		- 0 + 0,5
≤ 1,75	151 - 230	- 0 + 0,3
1,76 - 3,00		- 0 + 0,5
3,01 - 5,00		- 0 + 2,0
≤ 3,00	231 - 609	- 0 + 0,5
3,01 - 5,00		- 0 + 2,0
≤ 3,00	610 - 1524	- 0 + 1,5
3,01 - 5,00		- 0 + 2,0

* Measured 30 mm from edge
Asymmetric tolerances available

OTHER TOLERANCES

LENGTH		FLATNESS	CAMBERING
LENGTH	TOLERANCES mm		
250 - 2000	- 0 + 4	According to required standard	According to required standard
2001 - 4000	- 0 + 6		
4001 - 6000	- 0 + 8		

Special requests of dimensions and tolerances will be evaluated from time to time

Surface Protections

Cold rolled products are protected with interleaving paper; on request they can be delivered without protection or protected on one side or both by a removable plastic film based on the customer requirements.

Surface Finishes

A wide range of surface finishes for aesthetic and technical solutions.

FINISHES

DESCRIPTION	AISI ASTM A 480	EN 10088-2	ACCIAI SPECIALI TERNI EQUIVALENT	SURFACE CONDITIONS	COMMENTS
Hot rolled, annealed, pickled and cold re-rolled		2H	Work hardened	Oiled	Cold worked to achieve higher tensile strength
Cold rolled, annealed and mechanically descaled		2E	ZH	Rough and dull	Usually applied to steels with a scale which is very resistant to pickling solutions
Cold rolled, annealed and pickled	2D	2D	2D	Smooth	Finish for good formability, but not as smooth as 2B or 2R
Cold rolled, annealed, pickled and skinpassed	2B	2B	2B	Smoother than 2D	Most common finish to ensure good corrosion resistance, smoothness and flatness
Cold rolled, bright annealed and light skinpassed	BA	2R	BA	Smooth, bright, mirror-like	Smoother and brighter than 2B
Polished	3	2G	3	Dull	Unidirectional texture
Polished	4	2G	4	Polished, bright	Unidirectional texture
Scotch Brite		2J	Scotch Brite	Brushed	Unidirectional texture Ra<0,2µm
Duplo	4	2K	Duplo	Soft bright polished	Unidirectional texture, Ra<0,5µm
Transparent coil-coated			Silver Ice®	Steel texture is visible	Anti-fingerprint, easy to clean
Coloured coil-coated		2L	Vernest®	Coloured	General use coloured coating
Pre-primed coil-coated			Primerinox®	Backing coat on B-side	Improves the adhesion of PU/epoxy foams


Surface finishes availability must be verified by steel grade on the basis of specific requests



STAINLESS STEEL

Arvedi AST 
STANDARD FINISHES

Arvedi AST 



2H - Work hardened coils

TYPICAL MECHANICAL PROPERTIES				
GRADE ACCIAI SPECIALI TERNI	COLD WORK LEVEL	TENSILE STRENGTH Rm (mpa)	0.2% STRENGTH Rp 0.2% mpa	ELONGATION A50 (%)
301 301 L	Annealed	> 620	> 310	> 40
	1/8 hard	> 690	> 380	> 40
	1/4 hard	> 860	> 515	> 25
	1/2 hard	> 1035	> 760	> 18
	3/4 hard	> 1205	> 930	> 12
	full hard	> 1275	> 965	> 9
304	Annealed	> 515	> 205	> 40
	1/16 hard	> 620	> 310	> 40
	1/8 hard	> 690	> 380	> 30
	1/4 hard	> 860	> 515	> 10
	1/2 hard	> 1035	> 760	> 7
430 HT/430 AR	Up to HRC 32			

Delivery conditions: thickness from 0.4 to 2.00; width from 1000 to 1250 mm
 The hardening operation gives stainless steel higher mechanical resistance.
 Acciai Speciali Terni 430 HT/430 AR, 304, 301 and 301 L are delivered in the work hardened condition

2E - Cold rolled, annealed and mechanically descaled

STEEL GROUP	MINIMUM THICKNESSES mm		
	WIDTH mm		
	1020	1270	1520
304 / 321	2,00	2,00	2,50
301	2,00	2,00	3,00
316L	2,50	2,50	4,00
4828	3,00	3,00	4,50

Thickness tolerances according to UNI EN ISO 9445-2

Shown table may be revised in the future for additional thickness ranges and new materials

STAINLESS STEEL

Arvedi AST 

PRE-PAINTED FINISHES

VIVINOX®


Arvedi AST 

Coil coated stainless steel

Available on all ferritic and austenitic grades produced by Acciai Speciali Terni, the organic coatings of the **Vivinox®** range enable to enhance and customise typical stainless steel finishes. With the anti-fingerprint coating **Silver Ice®**, the visual impact of stains and fingerprint smudges is lowered, furthermore, these stains can be dry-cleaned. **Silver Ice®** also offers a limited protection against scratches and corrosion. Stainless steel panels coated with **Vernest®** coloured coatings offer unlimited freedom in the choice of colour schemes for architectural and construction projects.

The organic primer layer applied on the bottom side of the **Primerinox®** products increases the surface energy of stainless steel, allowing for an optimal spread and adhesion of epoxy and PU foams.

The **Vivinox®** organic coatings are applied on stainless steel on a state-of-the-art coil coating line which ensures that the product properties are homogenous over the entire surface of the coil.



Silver Ice®



Vernest®



PRODUCT RANGE

	MIN	MAX
Thickness	0,4 mm	1,2 mm
Width	100 mm	1500 mm
Coil weight	2.000 kg	12.000 kg
Surface protection	Temporary protective film on request	
Packaging	Special for coil coated products	

ORGANIC COATINGS

SERIE		DRY FILM THICKNESS	DESCRIPTION
SILVER ICE®	Transparent finish	1,5 - 3,5 µm	Anti-fingerprint and cleanability properties
VERNEST®	Coloured finish	20 - 25 µm	Polyester, super polyester or PVDF are available for outdoor applications
PRIMERINOX®	Preprimed surface	5 - 8 µm	For foam adhesion, post painting, adhesive structural bonding

Various steel grades and coatings can be provided in agreement with the sales department

STAINLESS STEEL


Arvedi AST 

PATTERNED AND MICRO-PATTERNED FINISHES

Perfection in all its details

Patterned and micro-patterned finishes are obtained using specifically patterned cylinders during cold rolling operations and followed by bright annealing.

Patterned Finishes



Elephant skin Linen Linen (Dull version) Square Diamond

Micro-Patterned Finishes



Micro skin* Texture* Droplets* Honeycomb* Weave* Microcircle* Haze*

Personalized patterns on request

AVAILABLE DIMENSIONS

TYPE	THICKNESS	WIDTH	SHEETS
304 / 430	0,6 ÷ 1,5	500 ÷ 1250	500 ÷ 4000
	0,8 ÷ 1,5	1251 ÷ 1520	500 ÷ 4000

* Based on project

STAINLESS STEEL

Arvedi AST 

HOT ROLLED

Arvedi AST 

Dimensions * / Tolerances

HOT ROLLED COILS

STEEL GROUP	THICKNESS mm		TRIMMED EDGES	MILL EDGES
	FROM	TO		
SHEETS FROM 1000 TO 6000 mm			WIDTH mm	
	2.0	6,5	1000	1020
	2,5	6,5	1250	1270
Ferro Chrome - Chrome Molybdenum and Stabilized Ferritic	3,5	6,5	1500	1520
	1,84	6,5	1000	1020
	2,5	6,5	1250	1270
Ferro Chrome Nickel Austenitic**	3,5	6,5	1500	1520
	2,5	6,5	1000	1020
	3,5	6,5	1250	1270
Ferro Chrome Nickel Molybdenum and Heat Resistant Austenitic	5,5	6,5	1500	1520
	2,5	6,5	1000	1020
	3,5	6,5	1250	1270

* Indicative values: limits to be confirmed for each stainless steel grade

** Ferro Chrome Nickel Manganese Nitrogen Austenitic available 321 for 1520 mm length, min. thickness 3.8 mm

THICKNESS TOLERANCES

THICKNESS	TOLERANCE*
2,00	± 0,12 mm
2,01 - 5,0	± 0,15 mm
5,01 - 6,0	± 0,18 mm
> 6,0	± 0,22 mm

Inner coil diameter:
610 mm (implicit) and 508 mm

CAMBER 20 mm every 5 metres

FLATNESS According to required standard

* Or asymmetrical tolerances of the same total range; thickness is measured 40 mm from the edge

WIDTH TOLERANCES

TRIMMED EDGES	THICKNESS mm			
	WIDTH mm			
	2,00 ÷ 2,50	2,51 ÷ 3,00	3,01 ÷ 5,00	5,01 ÷ 6,50
150 ÷ 230	- 0 +0,50	- 0 +0,50	- 0 +2,00	- 0 +3,00
231 ÷ 609	- 0 +0,50	- 0 +0,50	- 0 +2,00	- 0 +4,00
610 ÷ 1524	- 0 +1,50	- 0 +1,50	- 0 +2,00	- 0 +4,00
MILL EDGES	-0 + 20			

LENGTH TOLERANCES

LENGTH		TOLERANCE	
from mm	to mm	mm	mm
250	2000	-0	+4
2001	4000	-0	+6
4001	6000	-0	+8

Special requests of dimensions and tolerances will be evaluated upon need
ISO 9444-2 applicable to all dimensional tolerances

Finishes

FINISHES						
DESCRIPTION	ASTM A793 PATTERN B	AISI ASTM A 480	EN 10088-2	ACCIAI SPECIALI TERNI EQUIVALENT	SURFACE CONDITIONS	NOTE
Hot rolled, not annealed, not pickled		(HR)	1U	Black	Covered with mill scale	Suitable for products which are further processed (e.g. Strip for re-rolling)
Hot rolled, annealed and pickled		1	1D	1	Free from scale	Normal standard to guarantee good corrosion resistance
Floor plates	✓		1M	1M	Floor pattern	Patterned on one side

Finishes



1

Floor Plates

FLOOR PLATES SPECIFICATIONS								
Nominal thickness (mm)	3	3,5	4	4,5	5	5,5	6	6,35
Pattern thickness (mm)	1,39	1,39	1,39	1,52	1,52	1,52	1,52	1,52
Weight (kg/m ²)	30	33	38	41	45	48	52	55
Length (mm)	1000 - 6000							
Acciai Speciali Terni 304 MS - 304MSA - 304 DL	Width	1020, 1270 mm		Minimum thickness	3 mm			
		1545 mm			4 mm			
Acciai Speciali Terni 316 - 316 L	Width	1020 mm		Minimum thickness	4 mm			
		1270 mm			5 mm			

Antisliding characteristics of floor plates are certified according to DIN 51130
Dimensional tolerances are according to ASTM A793 Pattern B

Finishes



Floor Plates



STAINLESS STEEL

Arvedi AST 

SERVICE CENTERS

Arvedi AST 

Thanks to the CST and Terninox service centers, Arvedi AST offers a wide range of products and services on an international scale. Based on a large range of products from stock, state of the art equipment and high level materials expertise we offer standard and customized services and solutions for slitting, cutting-to-length and surface treatment.

An extensive certified quality management system and technical consultation ensures high quality end-to-end solutions and added value for our customers.

- **Customised packaging and shipping**
- **Supply chain solutions, including stock management**
- **Commercial and technical sales support**
- **Cutting and slitting**
- **Various finishing treatments**
- **Guaranteed safety during all phases**

Arvedi


Centro Servizi Terni



A benchmark for high-quality processing in advanced industrial sectors and high-performance applications, our Service Center is located in Terni, in a strategic position close to production facilities. This location ensures an efficient supply chain and direct access to major Italian and European production sites.

At the end of the production cycle, the material can be further processed at the Centro Servizi Terni to meet the dimensional specifications and aesthetic requirements requested by the customer. Coils are processed into narrow strips, sheets through state-of-the-art slitting and cut-to-length lines.

The Service Center is also specialized in the offer of premium surface finishes, including Scotch-Brite and polished finishes, as well as pre-painted finishes achieved through a dedicated coil coating line.

The integration of production capacity and processing services enables the delivery of complete solutions, ensuring high quality standards, operational flexibility, and reliable lead times.

Location: Terni, Italia



Terninox

Chosen partner for the consumer goods sector and high-quality applications, our Service Center is strategically located close to major Italian stainless steel end users, and to access to Central European regions.

Starting from a careful analysis of customers' technical and commercial requirements, our team of experts develops customized solutions aimed at ensuring the highest level of service.

The synergy between tailor-made services and the high quality of our products enables our customers to fully focus on their core business, enhancing efficiency and competitiveness.

As a stainless-steel Service Center, we offer a wide range of services: from the availability of various grades and surface finishes, to cutting services (slitting and cut-to-length), as well as advanced packaging and supply chain management solutions. Our integrated approach enables us to optimize delivery times and ensure high quality standards throughout the entire value chain.

Location: Milan, Italy

STAINLESS STEEL



NEW ENVIRONMENTALLY FRIENDLY PACKAGING SOLUTIONS

The strong focus on the sustainability at Arvedi AST has led to the progressive simplification of our packaging. This means a reduction of the plastic and wood component, guaranteeing always an optimal level of the product protection (5 types of standard packaging).


The result is the consequent reduction of waste materials that the customer must dispose and manage internally through separation and bestowal operations. For every kg of saved plastic, an important reduction is generated in terms of CO₂ emissions.

For applications, destinations and particular transports, specific solutions are guaranteed (special packaging).


PLASTIC AND CO₂ EMISSION REDUCTION



STANDARD PACKAGING



Eye-to-the-side coils (96)



Eye-to-the-side coils (R1)



Eye-to-the-sky coils (V0)



Blanks (Q1)



Sheets (FF)

STANDARD PACKAGING	EYE-TO-THE-SIDE COILS		EYE-TO-THE SKY COILS	BLANKS	SHEET PACKAGES
	96	R1	V0	Q1	FF
Wooden frame					
Outer protection with ribbed plastic sheet					
Multiple strips					
Protection for upper and lower package faces					
Vertical edge-protection angle pieces					
Upper package cover					
Horizontal edge-protections angle pieces					
Strip with radial straps					

SPECIAL PACKAGING

EYE-TO-THE-SIDE COILS - WITHOUT WOODEN FRAME						
	98/99	R9	RY	R7	RO	W1
Strip with radial straps						
Outer protection with ribbed plastic sheet						
Edge-protection angle pieces						
Multiple strips						
Strip wrapped in plastic film						

EYE-TO-THE-SIDE COILS - WITH WOODEN FRAME				
	R8	RM	R4	RH
Wooden board				
Antiparasite wooden board				
Outer protection with ribbed plastic sheet				
Edge-protection angle pieces				
Multiple strips				
Strip wrapped in plastic film				



EYE-TO-THE-SKY COILS			
	V1	V2	VC
Wooden board			
Antiparasite wooden board			
Outer protection with ribbed plastic sheet			
Upper ribbed plastic disc			
Edge-protection angle pieces			
Multiple strips			
Strip wrapped in plastic film			
Hygroscopic salts inside			

BLANKS		
	Q4	QT
Wooden frame		
Antiparasite wooden frame		
Protection for upper and lower package faces		
Package wrapped in polythene paper		
Vertical edge-protection angle pieces		
Horizontal edge-protections angle pieces		

SHEET PACKAGES			
	F1	F2	FT
Wooden frame			
Antiparasite wooden frame			
Upper package cover			
Protection between wooden frame and package			
Package covered with plastic film			
Horizontal edge-protections angle pieces			

For applications, destinations and particular transports, specific solutions are guaranteed (special packaging).

QUALITY, SUPPLY CHAIN

Customer requests, our daily commitment

HIGH QUALITY PRODUCTS DEMAND THE HIGHEST SERVICE STANDARDS.

We guarantee the highest quality in technical services and support.

We pursue a digital strategy integrated with automated sales processes, providing excellent solutions to optimise times and methods for managing customer requests.

With the supply chain we work to optimise our logistics processes in a functional, fast and ecological way.

From design to delivery, our sales and service network guarantees maximum efficiency.

- Quality Management System
- Dedicated Technical Support
- Supply Chain
- Packaging

QUALITY MANAGEMENT SYSTEM

The tradition of the Arvedi AST in the management of its productions through a Quality Management System, began in the 70s with the acquisition of the Quality System Certificate (Certificate of the Quality System) ASME (The American Society of Mechanical Engineers). Today Arvedi AST boasts management systems certified in accordance with ISO 9001:2015 (Quality) ISO 14001:2015 (Environment), ISO 45001:2018 (Health and Safety) and ISO 50001:2018 (Energy) standards issued by the DNV certification body.

Arvedi AST also holds the certification as a Material Organization in accordance with the standards of the American Society of Mechanical Engineers, as regards the Forging Division, and the IATF 16949: 2016 (automotive) certification with regard to Tubificio di Terni and Finishing Center.

Furthermore, since 2024, Arvedi AST has been the first Italian steel producer to obtain certification in accordance with the international standard ResponsibleSteel™ is the most prestigious global sustainability certification program for the steel sector.

To certify the adoption of certified management systems compliant with the main international standards in the three ESG (Environmental, Social, Governance) dimensions, in 2026 Arvedi AST received, among the first companies in the world, the ESG Recognition issued by DNV, confirming the organizational oversight in support of ESG certifications. In addition to the awards related to its management systems, Arvedi AST holds the following product approvals:

- Certification for the production and sales of products intended for the manufacture of pressure vessels, in compliance with Pressure Equipment Directive 2014/68/EU, Annex I, Section 4.3 and AD 2000-Merkblatt W0
- Certificate of conformity of factory production control (CE marking) for the production of stainless steel sheets, sheets and strips, in compliance with EN 10088-4:2009
- Ship approvals DNV Maritime and Lloyd's Register certifications for its stainless steel products.



Solutions designed to meet various needs

DEDICATED TECHNICAL SUPPORT

High product quality is accompanied by high service specialisation. We work to ensure the highest quality in the technical assistance and support service, as our customer's needs represent a constant commitment throughout each stage of the supply. Our technicians are available to customers to provide product insights, test applications and help them identify the product and finishes best suited to their manufacturing needs.

SUPPLY CHAIN / NEW LOGISTICS SOLUTIONS

From design to delivery, our network of service and sales centres allow us to closely support each customer and also guarantee maximum efficiency in delivery times. Our widespread presence on the market allows us to satisfy every request within competitive times, supported by an innovative IT system and by logistics that simplify and speed up the management of each process.




STAINLESS STEEL

Arvedi AST 

**OUR STAINLESS STEEL IS THE
MATERIAL OF EXCELLENCE FOR
MANY MARKET SECTORS**

Cutting-edge products, quality and new investments to respond with continuity, efficiency and flexibility to customer needs. The production of stainless steel Arvedi AST participates, through the multiple applications, in the innovation in the most crucial areas of progress, bringing the added value of a production attentive to sustainability.



Arvedi AST 

Arvedi


Arvedi AST 

ACCIAI SPECIALI TERNI S.p.A.
Viale B. Brin, 218 – 05100 Terni – Italy
Tel. +39 0744-4901

marketing.ast@acciaiterni.it
Tel. +39 0744-490282
www acciaiterni.it
www.arvedi.it